



### **TABLE OF CONTENTS**

1. Barrels Inox Plus	pag 3-6
2. Tanks Inox Plus	pag 7-9
3. Winemakers Inox Plus	pag 10-14
4. Taps Inox Plus	pag 16-18
5. Doors and manways	pag 18-19
6. Pumps	pag 20







#### **≋INOX PLUS**

Our company has been active on the market of the Republic of Moldova since 2011. The main activity in the beginning was the trade in stainless steel raw materials - sheet, pipes, profiles, fittings, consumables.

In 2013 the company opened its own production unit, in which we started to make stainless steel confections.

Thanks to the professional specialists and the high quality of the materials, our products have become increasingly loved year by year. The section deals with the manufacture of HoReCa furniture and equipment,

tanks of different types and the provision of services. A great success of the company is the mass production of the barrels and the manufacture of the tanks to order. Our range of tanks includes:

Cisterns (horizontal / vertical), barrels (round / square), red and white wine winches (horizontal / conical / vertical),

distillation apparatus, syrup machines, industrial mixers and more. At the base of all our victories, was the concept of our director: "Our customers have the most important part of the business. We pay special attention to the needs of our clients and the preparation of the best solutions for them. We work day by day to make advantageous transactions on both sides and to build strong relationships in an environment focused on: continuous improvement, superior standards and work ethic. The success of our customers is the success of our company!"

Now in 2020 we have reached the stage when we have conquered the internal market and decided to climb new stages of development.

# **BARREL INOXPLUS**





## STAINLESS STEEL BARRELS

SQUARE BARREL	
VOLUME	250L.
EQUIPPED WITH	LID, TAP AND HANDLES
AISI 304	STAINLESS STEEL PRODUCT
VISITING MOUTH	Q125MM
SHEET THICKNESS	#0,8 - 1.2 MM
SURFACE	POLISHED OR MAT
MADE BY INOX PLUS SRL	



ROUND BARREL	
VOLUME	30L-250L TO 1 TON.
EQUIPPED WITH	LID, TAP AND HANDLES
AISI 304	STAINLESS STEEL PRODUCT
VISITING MOUTH	Q90MM - Q140MM
SHEET THICKNESS	#0,8 - 1.2 MM
SURFACE	POLISHED OR MAT
MADE BY INOX PLUS SRL	



DISTILLING MACHINE	
VOLUME	FROM 100L. TO 300L.
AISI 304	STAINLESS STEEL PRODUCT
SHEET THICKNESS	#0,8 - 1.2 MM
SURFACE	POLISHED OR MAT
MADE BY INOX PLUS SRL	



STAINLESS STEEL PRESS	
VOLUME	30L-250L TO 1 TON.
AISI 304	STAINLESS STEEL PRODUCT
SIZE	TO ORDER ACCORDING TO CUSTOMER PARAMETERS
MADE BY INOX PLUS SRL	



# **TANKS**




CISTERN FOR WATER	
VOLUME	FROM 50 TO 2500L
SIZE	TO ORDER ACCORDING TO CUSTOMER PARAMETERS
MATERIAL	ALIMENTARY STAINLESS STEEL
SURFACE	POLISHED OR MAT
MADE BY INOX PLUS SRL	



CISTERN FOR MILK	
VOLUME	FROM 50 TO 2500L
SIZE	TO ORDER ACCORDING TO CUSTOMER PARAMETERS
SURFACE	POLISHED OR MAT
MATERIAL	ALIMENTARY STAINLESS STEEL
MADE BY INOX PLUS SRL	



CISTERN FOR WINE	
VOLUME	FROM 50 TO 300L
SIZE	TO ORDER ACCORDING TO CUSTOMER PARAMETERS
MATERIAL	ALIMENTARY STAINLESS STEEL
SURFACE	POLISHED OR MAT
MADE BY INOX PLUS SRL	



CISTERN FOR OIL	
VOLUME	FROM 50 TO 1000L
SIZE	TO ORDER ACCORDING TO CUSTOMER PARAMETERS
SURFACE	POLISHED OR MAT
MATERIAL	ALIMENTARY STAINLESS STEEL
MADE BY INOX PLUS SRL	







#### **≋INOX PLUS**-

WINEMAKER FOR WINE (CONICAL TYPE)	
VOLUME	FROM 1000 LITERS TO 10 000 LITERS.
MATERIAL	AISI 304 STAINLESS STEEL OF THE HIGHEST QUALITY
DETAILS	- COOLING SHIRT - CONICAL BOTTOM - WITH OR WITHOUT LEGS - VERTICAL CYLINDRICAL SHAPE - SQUARE-MOUTHED
MADE BY INOX PLUS SRL	



WINEMAKER FOR WINE (HORIZONTAL TYPE)	
VOLUME	FROM 1000 LITERS TO 10 000 LITERS
MATERIAL	AISI 304 STAINLESS STEEL OF THE HIGHEST QUALITY
DETAILS	- COOLING SHIRT - FLAT OR CONICAL BOTTOM - OR WITHOUT LEGS - VERTICAL CYLINDRICAL SHAPE - SQUARE-MOUTHED
MADE BY INOX PLUS SRL	



WINEMAKER FOR WHITE WINE	
VOLUME	FROM 1000 LITERS TO 10 000 LITERS.
MATERIAL	AISI 304 STAINLESS STEEL OF THE HIGHEST QUALITY
DETAILS	- COOLING SHIRT - CONICAL BOTTOM - WITH OR WITHOUT LEGS - VERTICAL CYLINDRICAL SHAPE - SQUARE-MOUTHED
MADE BY INOX PLUS SRL	



WINEM	AKER FOR RED WINE				
VOLUME	FROM 1000 LITERS TO 10 000 LITERS				
MATERIAL	AISI 304 STAINLESS STEEL OF THE HIGHEST QUALITY				
DETAILS	- COOLING SHIRT - FLAT OR CONICAL BOTTOM - OR WITHOUT LEGS - VERTICAL CYLINDRICAL SHAPE - SQUARE-MOUTHED				
MAD	E BY INOX PLUS SRL				



W	NE FERMENTER					
VOLUME	FROM 1000 LITERS TO 10 000 LITERS					
MATERIAL	AISI 304 STAINLESS STEEL OF THE HIGHEST QUALITY					
DETAILS	- COOLING SHIRT - FLAT OR CONICAL BOTTOM - OR WITHOUT LEGS - VERTICAL CYLINDRICAL SHAPE - SQUARE-MOUTHED					
MAD	MADE BY INOX PLUS SRL					




WINEM	WINEMAKER FOR RED WINE						
VOLUME	FROM 1000 LITERS TO 10 000 LITERS						
MATERIAL	L AISI 304 STAINLESS STEEL OF THE HIGHEST QUALITY						
DETAILS	- COOLING SHIRT - FLAT OR CONICAL BOTTOM - OR WITHOUT LEGS - VERTICAL CYLINDRICAL SHAPE - SQUARE-MOUTHED						
MAD	MADE BY INOX PLUS SRL						



## **ACCESORIES**




#### **≋INOX PLUS-**



#### **BALL VALVE THREE WAYS THREADED**


SIZI		D		L		D1		H			D
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
1/2	15	0,49	12,5	2,99	76,0	5,91	150,0	2,64	67	1,00	25,5
3/4	20	0,63	16,0	3,39	86,0	5,91	150,0	3,03	77	1,26	32,0
1	25	0,79	20,0	3,90	99,1	7,09	180,0	3,27	83	1,52	38,5
11/4	32	0,98	25,0	4,62	117,4	7,09	180,0	3,46	88	1,91	48,5
11/2	40	1,26	32,0	4,87	123,8	9,59	243,5	4,57	116	2,30	58,5
2	50	1,50	38,0	5,83	148	9,59	243,5	4,88	124	2,74	69,5

#### BALL VALVE 1 PC FULL BORE FLANGED END WAFER TYPE



SIZE	D	L	D1	Н	D	C	G	T	N	11	H1
inch	mm	mm	mm	mm	mm	mm	mm	mm	mm		mm
1/2	15	15	36	150	70	88	65	45	6	M12	21,7
3/4	20	20	38	150	70	98	75	58	6	M12	22
1	25	25	43	150	80	108	85	68	7	M12	25
11/4	32	32	51	156	87	128	100	78	7	M16	28
11/2	40	38	63	180	102	150	110	88	13	M16	29
2	50	50	70	180	108	165	125	102	14	M16	29
21/2	65	65	107	282	143	186	145	123	13,5	M16	41
3	80	76	120	290	152	200	160	138	15	M16	40
4	100	96	152	325	168	220	180	158	17	M16	40


#### BALL VALVE 2 PC FULL BORE THREADED



SIZ	Ε		D		L	D1		Н	ФР	AD		H	CV
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm		Factor
1/4	8	0.43	11.0	2.34	59.5	3.94	100	2.11	53.5	1.42	36	M5xP0.8	6
3/8	10	0.40	12.5	2.34	59.5	3.94	100	2.22	56.4	1.42	36	M5xPO.8	12
1/2	15	0.59	15.0	2.52	64.0	4.02	102	2.17	55.0	1.42	36	M5xPO.8	19
3/4	20	0.79	20.0	3.03	77.0	4.96	126	2.60	66.0	1.42	36	M5xPO.8	37
1	25	0.98	25.0	3.57	90.8	4.96	126	2.80	71.0	1.42	36	M5xPO.8	64
11/4	32	1.26	32.0	3.87	98.3	5.98	152	3.50	89.0	1.97	50	M6xP1.0	103
11/2	40	1.50	38.0	4.63	117.5	5.98	152	3.62	92.0	1.97	50	M6xP1.0	143
2	50	2.00	50.8	5.35	136.0	7.48	190	4.21	107.0	1.97	50	M6xP1.0	360
21/2	65	2.56	65.0	6.50	165.0	7.48	190	4.69	119.0	2.76	70	M8xP1.25	440
3	80	3.15	80.0	7.62	193.5	11.81	300	5.16	131.0	4.02	102	M10xP1.5	520
4	100	3.94	100.0	8.50	216.0	14.96	380	6.73	171.0	4.02	102	M10xP1.5	650


#### **≋INOX PLUS -**





SIZ	Œ		D		L		D1		H	W	2	Н	CV
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm		Factor
1/4	8	0.43	11.0	2.56	65	4.02	102	4.02	53.5	1.42	36	M5xPO.8	6
3/8	10	0.40	12.5	2.56	65	4.02	102	4.02	56.4	1.42	36	M5xPO.8	12
1/2	15	0.59	15.0	2.80	71	4.02	102	4.02	55.0	1.42	36	M5xPO.8	19
3/4	20	0.79	20.0	3.35	85	4.96	126	4.96	66.0	1.42	36	M5xPO.8	37
1	25	0.98	25.0	3.74	95	4.96	126	4.96	71.0	1.42	36	M5xPO.8	64
11/4	32	1.26	32.0	4.37	111	5.91	150	5.91	89.0	1.97	50	M6xP1.0	103
11/2	40	1.50	38.0	4.76	121	5.91	150	5.91	92.0	1.97	50	M6xP1.0	143
2	50	2.00	50.8	5.51	140	7.32	186	7.32	107.0	1.97	50	M6xP1.0	360
21/2	65	2.56	65.0	6.81	173	10.71	272	10.71	119.0	2.76	70	M8xP1.25	440
3	80	3.15	80.0	7.56	192	10.71	272	10.71	131.0	4.02	102	M10xP1.5	520
4	100	3.94	100.0	8.86	225	13.19	335	13.19	171.0	4.02	102	M10xP1.5	820


#### **LOWER GAUGE COCK**



DN	G	В	C	D
mm	inch	mm	mm	mm
15	3/8	14	46	61
15	3/8	15	46	61
15	3/8	16	46	61
15	3/8	20	46	61
15	1/2	14	46	61
15	1/2	15	46	61
15	1/2	16	46	61
15	1/2	20	46	61
15	1/2	24	61	61

AISI 304 + 316


#### BUTTERFLY VALVE WELDING-WELDING ENDS WITH PULL HANDLE



DN	D	A	L	D1	
mm	mm	mm	mm	mm	
25	28	130	50	74	
32	34	130	50	80	
40	40	130	50	86,8	
50	52	130	50	106,8	
65	70	160	56	123,8	
80	85	160	56	138,8	
100	104	160	64	158,8	
125	129	160	74	190	
150	154	200	80	220	




Round manhole cover side-swing opening and back side opening



#### **≋INOX PLUS**-


#### Oval manwaydoor inwards opening





Α	В	С	Dxd	Exe	P. max
3	2	100	441x346	545x465	2,5
2,5	2	100	445x311	532x398	2

#### Rectangular manwaydoor outwards opening





Α	В	С	D	P. max
10	2	60	200	0,5

EBARA CD								
MAXIMUM PUMPING HEIGHT	31 M							
FLOW RATES	6,6 - 9,6 M3/H							
MAX. WORKING PRESSURE	3,1 BAR							
LIQUID TEMP	-5°C - T0 +120°C							
MOTOR OUTPUT	0,9 KW							





EBARA DWC	
MAXIMUM PUMPING HEIGHT	26 M
FLOW RATES	24 - 45 M3/H
MAX. WORKING PRESSURE	2,6 BAR
LIQUID TEMP	-15°C - TO +110°C
MOTOR OUTPUT	3,0 KW

EBARA 3M	
MAXIMUM PUMPING HEIGHT	33 M
FLOW RATES	42 - 72 M3/H
MAX. WORKING PRESSURE	3,3 BAR
LIQUID TEMP	-10°C - T0 +90°C
MOTOR OUTPUT	5,5 KW





Chişinău Republic of Moldova 17/3 Petricani street 2059 E-mail: export@inoxplus.md Phone: +373 22 317 318 www.inoxplus.md